



# Certificate of Compliance

**Certificate:** 2285514

**Master Contract:** 160740 (LR 78160-1)

**Project:** 80156184

**Date Issued:** 2023-04-12

**Issued To:** Kycon, Inc.  
305 Digital Dr.  
Morgan Hill, California, 95037  
United States

**Attention:** Jill Scarnecchia

*The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only.*



**Issued by:** *Michael Chung*  
Michael Chung

## **PRODUCTS**

CLASS 4872 01 - ACCESSORIES AND PARTS FOR TELECOMMUNICATION EQUIPMENT

CLASS 4872 81 - ACCESSORIES AND PARTS FOR TELECOMMUNICATION EQUIPMENT

- Certified to U.S. Standards



**Certificate:** 2285514  
**Project:** 80156184

**Master Contract:** 160740  
**Date Issued:** 2023-04-12

Telecommunication Accessories:

Model	Description	Rating
GAX	Ganged Right Angle PCB Mount Modular Jack	1.5A 125V
GA2X	Stacked Modular Jack 8p8c	1.5A 125V
GDCX	Perpendicular PCB Mount Modular Jack	1.5A 125V
GDCXHT	Modular Jack 10p10c, Vertical, Thru-Hole PCB Mount	1.5A 125V
GDLX	.492" Height PCB Mount Right Angle Modular Jack	1.5A 125V
GDLXHT	High Temp .492" Height PCB Mount Right Angle Modular Jack	1.5A 125V
GDLX-SMT	.492" Height Surface Mount Right Angle Modular Jack	1.0A 125V
GDTX	Vertical Fully Shielded Modular Jack	1.5A 125V
GDTXHT	Modular Jack 8p8c	1.5A 125V
GDX	.595" Height PCB Mount Right Angle Modular Jack	1.5A 125V
GDWLX	Modular Jack 8p8c, Vertical Pc Mount	1.5A 125V
GDWX	Modular Jack 8p8c, Vertical Pc Mount	1.5A 125V
GDXHT	Modular Jack 8p8c, Keyed, Ramps Inside Housing	1.5A 125V
GKX	Modular Jack 8p8c, 45°	1.5A 125V
GKXHT	Modular Jack 8p8c, 45°, High Temp	1.5A 125V
GLX	.570" Height PCB Mount Right Angle Modular Jack	1.5A 125V
GLXHT	Modular Jack 10p10c, Right Angle, Thru-Hole	1.5A 125V
GM67X	Modular Jack Cap	-
GM67X-S-88	Modular Jack Cap	1.5A 125V
GMX	.45" Height Low Profile PCB Mount Right Angle Modular Jack	1.5A 125V
GMX-SMT3	Modular Jack, Right Angle, Surface Mount	1.0A 125V
GMXHT	High Temp .45" Height PCB Mount Right Angle Modular Jack	1.5A 125V
GMX-SMT2	.45" Height Surface Mount Right Angle Modular Jack With Post	1.0A 125V
GMX-SMT4	.45" Height True Surface Mount Right Angle Modular Jack W/Out Post	1.0A 125V
GPX	Ganged Perpendicular PCB Mount Modular Gang Jack	1.5A 125V
GSGX	Ganged PCB Mount Right Angle Modular Jack	1.5A 125V
GSGXHT	Hi Temp Right Angle Gang Jack PCB Mount	1.5A 125V
GSLGX	Right Angle Gang Jack PCB Mount	1.5A 125V
GSLX	Right Angle Mod Jack With Led, Tab Down	1.5A 125V
GSMX	Right Angle Mod Jack, 8p8c,	1.5A 125V
GSPAX	Modular Jack, With USB, With LEDs	1.5A 125V
GSPX	Magnetically Filtered RJ45, With 2-Stacked USB's	1.5A 125V
GSX	Single PCB Mount Right Angle Modular Jack	1.5A 125V
GSXHT	Hi Temp Single PCB Mount Right Angle Modular Jack	1.5A 125V
GSXMT	Modular Jack, 8p6c	1.5A 125V
GTVX	Modular Jack 8p8c, Top Entry With Boardlocks	1.5A 125V
GVMJX	Modular Jack, Right Angle, 6p2c	1.5A 125V
GWGX	Modular Jack, Thru Hole Ganged, Right Angle	1.5A 125V



**Certificate:** 2285514  
**Project:** 80156184

**Master Contract:** 160740  
**Date Issued:** 2023-04-12

GWGXHT	Modular Jack, Thru Hole Ganged, Right Angle	1.5A 125V
GWLGX	GANGED RIGHT ANGLE W/LEDs, TAB UP	1.5A 125V
GWLX	RIGHT ANGLE W/LEDs, TAB UP	1.5A 125V
GWX	Modular Jack, Right Angle, Inverted, Thru Hole Ganged	1.5A 125V
GDEX	Perpendicular PCB Mount Modular Jack	1.5A 125V
GDIX	Modular Jack With Magnetic And Led	1.5A 125V
GDLSPX	Right Angle Low Profile Modular Jack	1.5A 125V
GISX	Modular Jack With Magnetics	1.5A 125V
GMCTX	Right Angle Low Profile Modular Jack	1.5A 125V
GMIX	Modular Jack With Magnetics	1.5A 125V
GPJX	Panel Mount Modular Jack	1.5A 125V
GMXMT	.45" Height Low Profile PCB Mount Right Angle Modular Jack, Matte Tin	1.5A 125V
GWLX-SMT	SMT W/ LEDs, TAB UP	1.5A 125V
GWX-SMT	SMT, Tab Up	1.5A 125V

Note: Models may be followed by alphanumeric characters that represent number of ports, number of contacts, hardware options, plating options, color, and/or packaging.

**APPLICABLE REQUIREMENTS**

CSA Std. C22.2 No.182.4-M90 (R2020), 1st Ed - Plugs, Receptacles and Connectors for Communication Systems  
 UL Std No. 1863, 4th Ed - Communication Circuit Accessories

Notes:

Products certified under Class 4872 01 have been certified under CSA’s ISO/IEC 17065 accreditation with the Standards Council of Canada (SCC). [www.scc.ca](http://www.scc.ca)





## Supplement to Certificate of Compliance

Certificate: 2285514

Master Contract: 160740 (LR 78160-1)

*The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.*

### Product Certification History

---

Project	Date	Description
80156184	2023-04-12	Four alternate housing materials.
2492550	2012-10-05	Add Cat Nos GA2X, GA42MJX, GDCXHT, GDTXHT, GDWLX, GDWX, GDXHT, GKX, GKXHT, GLXHT, GSMX, GSPAX, GSPX, GSXHT, GSXMT, GSXHTMT, GTVX, GVMJX, GWGX, GWGXHT, GWX, GMX-SMT3, GM67X and one alternate housing material.
2285514	2010-04-15	Consolidation of Telecom Jack under Report LR 78160 into LR 78160-1.
-8	1995-09-18	Add modular jacks.
-6	1995-03-21	Add new models.
-4	1993-10-22	Add shielded version of the model GV.
-2	1993-04-08	Add Model Model GM-SMT-SS(S).
-1	1992-11-09	Original Certification Models GA-Y-XX, GP-Y-XX, GM-N-XX, GL-N-XX, GL-A-XX, GV-Y-XX, GV-N-XX, GDA-XX, GDP-XX, GDB-XX, GDF-XX.