




# KYCON













- |  |                                      |                                       |
|--|--------------------------------------|---------------------------------------|
| 1. D-Subminiature                      | 7. Modular Jacks Magnetics           | 13. Circular/Mini Din & Custom Cables |
| 2. Universal Serial Bus 2.0            | 8. Modular Jacks & 3.5mm Audio Jacks | 14. IP67 & HDMI                       |
| 3. Universal Serial Bus 2.0, 3.0 & 3.1 | 9. 3.5mm Audio Jacks (continued)     |                                       |
| 4. Universal Serial Bus 3.0 & 3.1      | 10. 3.5mm & 2.5mm Audio Jacks        |                                       |
| 5. Modular Jacks                       | 11. DC Power                         |                                       |
| 6. Modular Jacks (continued)           | 12. DC Power (continued)             |                                       |

[WWW.KYCON.COM](http://WWW.KYCON.COM)

 KYCON

305

# D-Subminiatures

<div><div></div>Option Available</div> <div><div></div>Contact Kycon for Option</div> <div>D-Sub Product Page: <a href="#">Click here</a></div> <div>Table of Contents</div>		Right Angle	Vertical	IDC	Surface Mount	Through Hole	Solder Cup	High Density	Stacked Multi-Port	PC99	High Temp	Ferrite
 <div><a href="#">K202XHT</a> Surface Mount, Right Angle</div>												
 <div><a href="#">K22X</a> 0.318" Footprint, Right Angle PCB Mount</div>												
 <div><a href="#">K31X</a> 0.071" Footprint, Right Angle PCB Mount</div>												
 <div><a href="#">K42X</a> Stacked, Right Angle PCB Mount</div>												
 <div><a href="#">K61X</a> 0.20" Footprint, PCB Mount Right Angle, High Density</div>												
 <div><a href="#">K66X</a> 0.350" Footprint, PCB Mount High Density, Right Angle</div>												
 <div><a href="#">K85X</a> Vertical, PCB Mount Solder Cup, Low Profile</div>												
 <div><a href="#">K86X</a> Vertical, PCB Mount Solder Cup, High Density</div>												
 <div><a href="#">K88X</a> Vertical, PCB Mount High Profile</div>												
 <div><a href="#">K99X</a> IDC</div>												

Kycon initially offered Dsub Connectors in 1988. Throughout the years our product lines expanded to include USB, Modular Jacks, DC Power Connectors, Audio Jacks, Mini Dins, HDMI, and Cable Assemblies.

Kycon's current product offerings can be found in this catalog.

































































































































































# Universal Serial Bus 2.0

 Option Available

 Contact Kycon for Option

USB Product Page: [Click here](#)

Table of Contents

	Through Hole	Surface Mount	Mid-Mount	Right Angle	Vertical	Slim Upright	Low Profile	Plug	A-Type	B-Type	Mini B-Type	Micro B-Type	Micro AB-Type	Stacked	High Temp
 <b>KUSBX</b> Right Angle, PCB Mount A&B-Type															
 <b>KUSBX-SMT</b> Right Angle, Surface Mount A&B-Type															
 <b>KUSBXHT-SB</b> A-Type, Short Body															
 <b>KUSBX-SL</b> A-Type, Slim Upright															
 <b>KUSBX-SMT2</b> Surface Mount, A-Type Plug															
 <b>KUSBX-SMT4</b> Right Angle, Surface Mount A-Type															
 <b>KMBX</b> Mini B-Type, Surface Mount & PCB Mount															
 <b>KMBVX</b> Mini B-Type, Vertical															
 <b>KMMX</b> Micro AB&B-Type Surface Mount															
 <b>KMMVX</b> Micro B-Type, Vertical															







































# Universal Serial Bus 2.0

 Option Available

 Contact Kycon for Option

USB Product Page: [Click here](#)

[Table of Contents](#)

	Through Hole	Surface Mount	Mid-Mount	Right Angle	Vertical	Slim Upright	Low Profile	Plug	A-Type	B-Type	Mini B-Type	Micro B-Type	Micro AB-Type	Stacked	High Temp
 <b>KUSBLPX</b> Low Profile, A-Type Single & Stacked, PCB Mount Right Angle															
 <b>KUSBVX</b> Vertical, PCB Mount A&B-Type															
 <b>KUSBVLPX</b> Low Profile, A-Type Vertical															
 <b>KUSBEX</b> Fully Shielded, Right Angle															
 <b>High Retention</b>															





















# Universal Serial Bus 3.0 & 3.1

 Option Available

 Contact Kycon for Option

USB Product Page: [Click here](#)

[Table of Contents](#)

	Through Hole	Surface Mount	Hybrid Contacts	Mid-Mount	Right Angle	Vertical	Slim Upright	Plug	A-Type	B-Type	C-Type	Micro B-Type	Micro AB-Type	Stacked	High Temp
 <b>KUSBX-MM-CS</b> C-Type, Mid-Mount, 3.1															
 <b>KUSBX-SMTH</b> C-Type, Hybrid, Top Mount, 3.1															
 <b>KUSBX-SMT-CS</b> C-Type, Dual Row Surface Mount, Top Mount, 3.1															
 <b>KUSBVX-SMT-CS</b> C-Type, Vertical, 3.1															




















































# Universal Serial Bus 3.0 & 3.1

 Option Available

 Contact Kycon for Option

USB Product Page: [Click here](#)

Table of Contents

	Through Hole	Surface Mount	Hybrid Contacts	Mid-Mount	Right Angle	Vertical	Slim Upright	Plug	A-Type	B-Type	C-Type	Micro B-Type	Micro AB-Type	Stacked	High Temp
 <b>KUSBX-SL-CS1N14</b> C-Type, Upright, Slim Profile															
 <b>KUSBX-SL-CS1N14-B</b> C-Type, Flag Style Gen 2, 3.2															
 <b>KUSBX-SMT-CS-6-BTR</b> C-Type, Surface Mount 6 Pin															
 <b>KUSBX-SMTTH-CSE-F2-BTR</b> C-Type, SMT & TH Pins with flange, Panel Mount															
 <b>KMMX</b> Micro 3.0															
 <b>KUSBVX</b> A & B-Type, 3.0															
 <b>KUSBX-SLAS1N9</b> A-Type, Slim Upright, 3.0															
 <b>KUSBX-SMT-AP9</b> A-Type, Surface Mount Plug, 3.0															
 <b>KUSBX</b> Single & Stacked, 3.0															

[Back to the top](#)

Kycon USB connectors are used in many consumer goods applications. Kycon offers USB 2.0 in right angle, stacked, vertical, upright, mini and micro versions. Kycon also offers USB 3.0 right angle, vertical and micro versions.

Additional options may include through hole, surface mount and high retention.
























# Modular Jacks

 Option Available

 Contact Kycon for Option

Mod Jacks Product Page: [Click here](#)

Table of Contents

	Positions	Contacts	Ganged	Right Angle	Vertical	Mid-Mount	Through Hole	Surface Mount	Shielded	LED	Panel Stops	Keyed	High Temp
 <b>GA2MJLX</b> Stacked, with LEDs	8	8											
 <b>GDCX</b> Vertical, PCB Mount	4, 6, 8	4, 6, 8											
 <b>GDLX</b> .492" Height, Right Angle	6, 8	2, 4 6, 8											
 <b>GDTX</b> Cat 5, Vertical, PCB Mount	8	8											
 <b>GDWLX</b> Vertical, PCB Mount with LEDs	8	8											
 <b>GDWX</b> Vertical, PCB Mount without LEDs	8	8											
 <b>GDX</b> .594" Height, Right Angle	4, 6, 8	2, 4 6, 8											
 <b>GLX</b> .570" Height, Right Angle	4, 6 8, 10	2, 4, 6 8, 10											
 <b>GMX</b> .45" Height, Right Angle	4, 6, 8 10	2, 4, 6 8, 10											
 <b>GMJXHT-MM</b> .388" Height, Mid-Mount Right Angle	8	8											






















































# Modular Jacks

 Option Available

 Contact Kycon for Option

Mod Jacks Product Page: [Click here](#)

[Table of Contents](#)

	Positions	Contacts	Ganged	Right Angle	Vertical	Mid-Mount	Through Hole	Surface Mount	Shielded	LED	Panel Stops	Keyed	High Temp
 <b>GSX</b> .537" Height, Single CAT 5, Right Angle	8	8											
 <b>GSLX</b> .537" Height, Right Angle CAT 5, with LEDs	8	8											
 <b>GTVX</b> Vertical, Surface Mount	4, 6, 8	4, 6, 8											
 <b>GWLX</b> .531" Height, PCB Mount, Right Angle, with LEDs	8	8											
 <b>GWLEX</b> .531" Height, PCB Mount, Right Angle, with LEDs	8	8											
 <b>GWX</b> .531" Height, Right Angle	8	8											
 <b>GSGX</b> .543" Height, Ganged CAT 5, Right Angle	8	8											
 <b>GSLGX</b> .543" Height, Ganged Right Angle, with LEDs	8	8											
 <b>GWLGX</b> .531" Height, Ganged, PCB Mount, Right Angle, with LEDs	8	8											

Kycon Modular Jacks can be used in computer, networking and telecommunication applications.

Kycon offers single, stacked, vertical, and ganged options with a variety of available positions, number of contacts and mounting options. Other available options may include key options, panel stops, LED's, shielding, and magnetics.

































































# Modular Jacks Magnetics

 Option Available

 Contact Kycon for Option

Mod Jacks Product Page: [Click here](#)

[Table of Contents](#)

	Positions	Contacts	Ganged	Stacked	Right Angle	Vertical	Through Hole	Surface Mount	Shielded	LED	Magnetics	High Temp
 <b>G1LX</b> RJ45 with 10/100 Magnetics Tab Down with LEDs	8	8										
 <b>G2LX</b> RJ45 with 10/100 Magnetics Tab Up with LEDs	8	8										
 <b>G3LX</b> RJ45 with 10/100 Magnetics Vertical with LEDs	8	8										
 <b>G5LX</b> RJ45 with 10/100 Magnetics & POE	8	8										
 <b>G7LX</b> RJ45 with 10/100 Magnetics & POE, with LEDs	8	8										
 <b>G8X</b> RJ45 with 10/100 Magnetics & POE	8	8										
 <b>G8LX</b> RJ45 with 10/100 Magnetics & POE	8	8										
 <b>G10X</b> Dual Stack RJ45 with Gigabit Magnetics	8	8										
 <b>G14X</b> RJ45 Dual Port with 10/100 Magnetics	8	8										
 <b>G15LX</b> RJ45 with 10/100 Magnetics & POE	8	8										

[Back to the top](#)

## Modular Jacks Magnetics

[illegible]

## 3.5mm Audio Jacks

[illegible]





























































# 3.5mm Audio Jacks

 Option Available

 Contact Kycon for Option


Audio Jacks Product Page: [Click here](#)


[Table of Contents](#)

	Mono	Stereo	4 Pole	5 Pole	Plug	Right Angle	Vertical	Panel Mount	Mid-Mount	Through Hole	Surface Mount	Plastic Barrel	Threaded	PC99	High Temp
 <b>STX-3500</b> Surface Mount															
 <b>STX-3501</b> PCB Mount															
 <b>STPX-3501</b> Panel Mount															
 <b>STX-35017</b> PCB Mount															
 <b>STX-35332</b> Surface Mount															
 <b>STX-35061</b> Surface Mount															
 <b>STX-353E7A</b> PCB Mount															
 <b>STX-373K7A</b> Vertical Mount															
 <b>STX-35398A</b> Mid-Mount															
 <b>STX-35398E</b> Mid-Mount, No Barrel															

Kycon audio jacks are used in a wide array of applications within consumer electronics, computer, and medical devices. Along with our wide range of mounting styles, we offer many different switching options. In addition, many of our stereo jacks are available with PC99 color options, threaded barrels and tape and reel packaging.

































# 3.5mm Audio Jacks

 Option Available

 Contact Kycon for Option


Audio Jacks Product Page: [Click here](#)


[Table of Contents](#)

	Mono	Stereo	4 Pole	5 Pole	Plug	Right Angle	Vertical	Panel Mount	Cable Mount	Mid-Mount	Through Hole	Surface Mount	Plastic Barrel	Threaded	PC99	High Temp
 STX-3680 Vertical Mount																
 STX-3790 Vertical Mount																
 STX-4235 Stacked, PCB Mount																
 STX-4335 Triple Stacked PCB Mount																
 STX-3542 Surface Mount 5 Pole																
 STX-P-5 Pole Plug, Cable Mount																

[Back to Top](#)

# 2.5mm Audio Jacks

 Option Available












 Contact Kycon for Option

Audio Jacks Product Page: [Click here](#)

[Table of Contents](#)

 STX-2000 PCB Mount								 STX-25427 Surface Mount, 4 Pole								
 STX-2500 Surface Mount								 STX-25442 Mid-Mount, 4 Pole								
 STX-25406 Surface Mount, 4 Pole								 STX-2550 Surface Mount								

# DC Power


 Option Available  Contact Kycon for Option DC Power Product Page: <a href="#">Click here</a> <a href="#">Table of Contents</a>	Through Hole	Surface Mount	Right Angle	Vertical Mount	Mid-Mount	1.0mm & 1.3mm Pin DIA	2.0mm & 2.5mm Inner Pin DIA	Locking	High Current	Shielded	Crimped	High Temp
 <b>KLDX</b> 2.0mm/2.5mm, Right Angle Through Hole												
 <b>KLDX-LT</b> 2.0mm/2.5mm, Right Angle Locking Type												
 <b>KLDX-LT</b> 1.0mm/1.3mm, Right Angle Surface Mount												
 <b>KLDX-SMT2</b> 2.0mm/2.5mm, Surface Mount												
 <b>KLDHCX</b> 2.0mm/2.5mm, Right Angle 4A												
 <b>KLDHCX-8</b> 2.0mm/2.5mm, Right Angle 8A												
 <b>KLDHCX-LT</b> 2.0mm/2.5mm, Right Angle Locking Type, 5A												
 <b>KLDHCX-MM</b> 2.0mm/2.5mm, Mid-Mount 5A												
 <b>KLDVX-SMT</b> 2.0mm/2.5mm, Vertical Surface Mount												

Kycon DC power jacks are used in a variety of applications that require direct current to be supplied to a device. Kycon offers right angle and vertical orientations in a variety of interface sizes as well as mounting options such as through hole, surface mount, panel mount and mid mount. Also available are locking type and high current options.



# DC Power

 Option Available

 Contact Kycon for Option

DC Power Product Page: [Click here](#)

[Table of Contents](#)

	Contacts	Through Hole	Right Angle	Vertical Mount	Panel Mount	Cable Mount	Plug	2.0mm & 2.5mm Inner Pin DIA	Locking	Snap & Lock	High Current	Shielded	High Temp
 <b>KLDVHCX</b> 2.0mm/2.5mm, Vertical 5A													
 <b>KLDVHCX-LT</b> 2.0mm/2.5mm, Locking Type 5A													
 <b>KLDVX</b> 2.0mm/2.5mm, Vertical Through Hole													
 <b>KLDLX-0202-A</b> Right Angle, Panel Mount													
 <b>KLDPX-0207</b> 2.0mm & 2.5mm, Panel Mount													
 <b>KLDLX-P-0202-A-M8</b> Locking, Plug													
 <b>KLDX-PA</b> 2.0mm & 2.5mm, Power Plug													
 <b>KLDX-PA-LT</b> 2.0mm & 2.5mm, Power Plug Locking Type													
 <b>KPJX</b> Snap & Lock, Through Hole	3, 4												
 <b>KPJX-CM</b> Snap & Lock, Cable Mount Jack	3, 4												
 <b>KPJX-PM</b> Snap & Lock, Panel Mount	3, 4												
 <b>KPPX</b> Snap & Lock Cable Mount Plug	3, 4												







# Circular Din/Mini Din

Option Available

Contact Kycon for Option

Circular/Mini Din Product Page: [Click here](#)

[Table of Contents](#)

	Contacts	Plug	Socket	Shielded	Non-Shielded	Right Angle	Vertical	Panel Mount	Cable Mount	Through Hole	Surface Mount	Stacked	Snap & Lock	PC99	High Temp
 <b>KMDGX</b> Stacked, Right Angle	4, 6														
 <b>KMDGX</b> Right Angle	3-8 10														
 <b>KMDLAX</b> Cable Mount, Plug Snap & Lock	3-8														
 <b>KMDPLX</b> Panel Mount, Snap & Lock	4, 6														
 <b>KMDTX</b> Slim Design, Surface Mount Through Hole	4, 6														
 <b>KMDVLX</b> Vertical Mount Snap & Lock	3-8														

Kycon can engineer and manufacture a wide variety of custom cable assemblies and adapters. Kycon specializes in custom over-molded cable assemblies, phone cables, small wire harnesses, and custom adapters.



IP67 Product Page: [Click here](#)

Table of Contents









## IP67

 <p><b>KUSB67X</b> USB Quick release A-Type Socket to Socket</p>	 <p><b>KUSB67X</b> USB Quick release A-Type Socket to PCB</p>	 <p><b>IP67X-PP-CAP</b> USB Quick release CAP</p>	 <p><b>KUSB67X-SMTTH</b> USB Type C</p>
 <p><b>STX-3537D</b> Fully Sealed 3.5mm Audio Jacks</p>	 <p><b>GM67X-s-88</b> RJ45 Box Side Jack with Jack</p>	 <p><b>GM67X-CS</b> RJ45 Cable Side</p>	 <p><b>GM67X-CBL</b> RJ45 Box Side Jack with Cable &amp; Plug</p>
 <p><b>GM67-CAP</b> RJ45 CAP</p>			

## HDMI

HDMI Product Page: [Click here](#)

Table of Contents

 <p><b>KDMIX</b> with Flange &amp; Top Springs Tabs</p>	 <p><b>KDMIX</b> without Flange with Top Spring Surface Mount</p>	 <p><b>KDMIX</b> 2.1 with Flange</p>	 <p><b>KDMIX</b> 2.1 without Flange</p>
 <p><b>KDMIX</b> Vertical</p>	 <p><b>KDMI42X</b> Dual Stacked</p>	 <p><b>KMDMIX</b> Mini</p>	 <p><b>KDMIX-SL1</b> Upright</p>

Kycon's commitment to customer service has continually awarded them one of the top two positions in the Bishop and Associates Customer Survey of the Electronic Connector Industry since 2005. In the most recent survey, Kycon held the #1 position for Inside Sales Support, Problem Handling, Turnaround Time, and Product Quality.

For more information or to experience why Kycon has earned such prestigious acclaim,

please contact us today! Phone: International: +1.408.494.0330

Product Information, Prices & Availability: [sales@kycon.com](mailto:sales@kycon.com) | Product Technical Support: [support@kycon.com](mailto:support@kycon.com)