




KYCON



- | | | |
|--|--------------------------------------|---------------------------------------|
| 1. D-Subminiature | 7. Modular Jacks Magnetics | 13. Circular/Mini Din & Custom Cables |
| 2. Universal Serial Bus 2.0 | 8. Modular Jacks & 3.5mm Audio Jacks | 14. IP67 & HDMI |
| 3. Universal Serial Bus 2.0, 3.0 & 3.1 | 9. 3.5mm Audio Jacks (continued) | |
| 4. Universal Serial Bus 3.0 & 3.1 | 10. 3.5mm & 2.5mm Audio Jacks | |
| 5. Modular Jacks | 11. DC Power | |
| 6. Modular Jacks (continued) | 12. DC Power (continued) | |

WWW.KYCON.COM

 KYCON

305

























































D-Subminiatures

 Option Available

 Contact Kycon for Option

D-Sub Product Page: [Click here](#)

[Table of Contents](#)

| | Right Angle | Vertical | IDC | Surface Mount | Through Hole | Solder Cup | High Density | Stacked Multi-Port | PC99 | High Temp | Ferrite |
|---|---|---|---|---|---|--|---|---|---|---|---|
|  K202XHT Surface Mount, Right Angle |  | | |  | | |  | | |  | |
|  K22X 0.318" Footprint, Right Angle PCB Mount |  | | | |  | | | |  |  |  |
|  K31X 0.071" Footprint, Right Angle PCB Mount |  | | | |  | |  | | |  | |
|  K42X Stacked, Right Angle PCB Mount |  | | | |  | |  |  |  |  |  |
|  K61X 0.20" Footprint, PCB Mount Right Angle, High Density |  | | | |  | |  | |  |  | |
|  K66X 0.350" Footprint, PCB Mount High Density, Right Angle |  | | | |  | |  | |  |  |  |
|  K85X Vertical, PCB Mount Solder Cup, Low Profile | |  | | |  |  | | | |  |  |
|  K86X Vertical, PCB Mount Solder Cup, High Density | |  | | |  |  |  | | |  |  |
|  K88X Vertical, PCB Mount High Profile | |  | | |  | | | | | |  |
|  K99X IDC | | |  | | | | | | | | |

Kycon initially offered Dsub Connectors in 1988. Throughout the years our product lines expanded to include USB, Modular Jacks, DC Power Connectors, Audio Jacks, Mini Dins, HDMI, and Cable Assemblies.

Kycon's current product offerings can be found in this catalog.

















































































































































































Universal Serial Bus 2.0

 Option Available

 Contact Kycon for Option

USB Product Page: [Click here](#)

Table of Contents

| | Through Hole | Surface Mount | Mid-Mount | Right Angle | Vertical | Slim Upright | Low Profile | Plug | A-Type | B-Type | Mini B-Type | Micro B-Type | Micro AB-Type | Stacked | High Temp |
|--|---|---|---|---|---|---|---|--|---|---|---|---|---|---|---|
|  KUSBX Right Angle, PCB Mount A&B-Type |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  KUSBX-SMT Right Angle, Surface Mount A&B-Type |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  KUSBXHT-SB A-Type, Short Body |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  KUSBX-SL A-Type, Slim Upright |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  KUSBX-SMT2 Surface Mount, A-Type Plug |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  KUSBX-SMT4 Right Angle, Surface Mount A-Type |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  KMBX Mini B-Type, Surface Mount & PCB Mount |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  KMBVX Mini B-Type, Vertical |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  KMMLX Micro B-Type, Mid-Mount |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  KMMX Micro AB&B-Type Surface Mount |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  KMMVX Micro B-Type, Vertical |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

















































































Universal Serial Bus 2.0

 Option Available

 Contact Kycon for Option

USB Product Page: [Click here](#)

[Table of Contents](#)

| | Through Hole | Surface Mount | Mid-Mount | Right Angle | Vertical | Slim Upright | Low Profile | Plug | A-Type | B-Type | Mini B-Type | Micro B-Type | Micro AB-Type | Stacked | High Temp |
|--|--|--|--|--|--|--|--|---|--|--|--|--|--|--|--|
|  KUSBLPX Low Profile, A-Type Single & Stacked, PCB Mount Right Angle |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  KUSBVX Vertical, PCB Mount A&B-Type |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  KUSBVLPX Low Profile, A-Type Vertical |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  KUSBEX Fully Shielded, Right Angle |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  High Retention |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

































































Universal Serial Bus 3.0 & 3.1

 Option Available

 Contact Kycon for Option

USB Product Page: [Click here](#)

[Table of Contents](#)

| | Through Hole | Surface Mount | Hybrid Contacts | Mid-Mount | Right Angle | Vertical | Slim Upright | Plug | A-Type | B-Type | C-Type | Micro B-Type | Micro AB-Type | Stacked | High Temp |
|--|---|---|---|---|---|---|---|--|---|---|---|---|---|---|---|
|  KUSBX-MM-CS C-Type, Mid-Mount, 3.1 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  KUSBX-SMTH C-Type, Hybrid, Top Mount, 3.1 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  KUSBX-SMT-CS C-Type, Dual Row Surface Mount, Top Mount, 3.1 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  KUSBVX-SMT-CS C-Type, Vertical, 3.1 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |


















































Universal Serial Bus 3.0 & 3.1

 Option Available

 Contact Kycon for Option

USB Product Page: [Click here](#)

Table of Contents

| | Through Hole | Surface Mount | Hybrid Contacts | Mid-Mount | Right Angle | Vertical | Slim Upright | Plug | A-Type | B-Type | C-Type | Micro B-Type | Micro AB-Type | Stacked | High Temp |
|---|---|---|---|---|---|---|---|--|---|---|---|--|--|---|---|
|  KUSBX-SL-CS1N14 C-Type, Upright, Slim Profile |  | | | | | |  | | | |  | | | |  |
|  KUSBX-SL-CS1N14-B C-Type, Flag Style Gen 2, 3.2 | |  | | | | |  | | | |  | | | |  |
|  KUSBX-SMT-CS-6-BTR C-Type, Surface Mount 6 Pin | |  | | |  | | | | | |  | | | |  |
|  KUSBX-SMTTH-CSE-F2-BTR C-Type, SMT & TH Pins with flange, Panel Mount | | |  | |  | | | | | |  | | | |  |
|  KMMX Micro 3.0 | |  | | |  | | | | | | |  |  | |  |
|  KUSBVX A & B-Type, 3.0 |  | | | | |  | | |  |  | | | | |  |
|  KUSBX-SLAS1N9 A-Type, Slim Upright, 3.0 |  | | | | | |  | |  | | | | | |  |
|  KUSBX-SMT-AP9 A-Type, Surface Mount Plug, 3.0 | |  | |  | | | |  |  | | | | | |  |
|  KUSBX Single & Stacked, 3.0 |  | | | |  | | | |  |  | | | |  | |

[Back to the top](#)

Kycon USB connectors are used in many consumer goods applications. Kycon offers USB 2.0 in right angle, stacked, vertical, upright, mini and micro versions. Kycon also offers USB 3.0 right angle, vertical and micro versions.

Additional options may include through hole, surface mount and high retention.

























































































































Modular Jacks

 Option Available

 Contact Kycon for Option

Mod Jacks Product Page: [Click here](#)

Table of Contents

| | Positions | Contacts | Ganged | Right Angle | Vertical | Mid-Mount | Through Hole | Surface Mount | Shielded | LED | Panel Stops | Keyed | High Temp |
|---|---------------|------------------|---|---|---|---|--|---|---|---|---|---|---|
|  GA2MJLX Stacked, with LEDs | 8 | 8 |  |  |  |  |  |  |  |  |  |  |  |
|  GDCX Vertical, PCB Mount | 4, 6, 8 | 4, 6, 8 |  |  |  |  |  |  |  |  |  |  |  |
|  GDLX .492" Height, Right Angle | 6, 8 | 2, 4 6, 8 |  |  |  |  |  |  |  |  |  |  |  |
|  GDTX Cat 5, Vertical, PCB Mount | 8 | 8 |  |  |  |  |  |  |  |  |  |  |  |
|  GDWLX Vertical, PCB Mount with LEDs | 8 | 8 |  |  |  |  |  |  |  |  |  |  |  |
|  GDWX Vertical, PCB Mount without LEDs | 8 | 8 |  |  |  |  |  |  |  |  |  |  |  |
|  GDX .594" Height, Right Angle | 4, 6, 8 | 2, 4 6, 8 |  |  |  |  |  |  |  |  |  |  |  |
|  GLX .570" Height, Right Angle | 4, 6 8, 10 | 2, 4, 6 8, 10 |  |  |  |  |  |  |  |  |  |  |  |
|  GMX .45" Height, Right Angle | 4, 6, 8 10 | 2, 4, 6 8, 10 |  |  |  |  |  |  |  |  |  |  |  |
|  GMJXHT-MM .388" Height, Mid-Mount Right Angle | 8 | 8 |  |  |  |  |  |  |  |  |  |  |  |






















































Modular Jacks

 Option Available

 Contact Kycon for Option

Mod Jacks Product Page: [Click here](#)

[Table of Contents](#)

| | Positions | Contacts | Ganged | Right Angle | Vertical | Mid-Mount | Through Hole | Surface Mount | Shielded | LED | Panel Stops | Keyed | High Temp |
|---|-----------|----------|---|---|---|-----------|--|--|---|---|-------------|-------|---|
|  GSX .537" Height, Single CAT 5, Right Angle | 8 | 8 | |  | | |  | |  | | | |  |
|  GSLX .537" Height, Right Angle CAT 5, with LEDs | 8 | 8 | |  | | |  | |  |  | | | |
|  GTVX Vertical, Surface Mount | 4, 6, 8 | 4, 6, 8 | | |  | | |  |  | | | |  |
|  GWLX .531" Height, PCB Mount, Right Angle, with LEDs | 8 | 8 | |  | | |  |  |  |  | | |  |
|  GWLEX .531" Height, PCB Mount, Right Angle, with LEDs | 8 | 8 | |  | | |  |  |  |  | | |  |
|  GWX .531" Height, Right Angle | 8 | 8 | |  | | |  |  |  | | | |  |
|  GSGX .543" Height, Ganged CAT 5, Right Angle | 8 | 8 |  |  | | |  | |  | | | |  |
|  GSLGX .543" Height, Ganged Right Angle, with LEDs | 8 | 8 |  |  | | |  | |  |  | | | |
|  GWLGX .531" Height, Ganged, PCB Mount, Right Angle, with LEDs | 8 | 8 |  |  | | |  | |  |  | | | |

Kycon Modular Jacks can be used in computer, networking and telecommunication applications.

Kycon offers single, stacked, vertical, and ganged options with a variety of available positions, number of contacts and mounting options. Other available options may include key options, panel stops, LED's, shielding, and magnetics.

































































Modular Jacks Magnetics

 Option Available

 Contact Kycon for Option

Mod Jacks Product Page: [Click here](#)

[Table of Contents](#)

| | Positions | Contacts | Ganged | Stacked | Right Angle | Vertical | Through Hole | Surface Mount | Shielded | LED | Magnetics | High Temp |
|---|-----------|----------|---|---|---|---|--|---------------|---|---|---|--|
|  G1LX RJ45 with 10/100 Magnetics Tab Down with LEDs | 8 | 8 | | |  | |  | |  |  |  |  |
|  G2LX RJ45 with 10/100 Magnetics Tab Up with LEDs | 8 | 8 | | |  | |  | |  |  |  |  |
|  G3LX RJ45 with 10/100 Magnetics Vertical with LEDs | 8 | 8 | | | |  |  | |  |  |  | |
|  G5LX RJ45 with 10/100 Magnetics & POE | 8 | 8 |  | |  | |  | |  |  |  | |
|  G7LX RJ45 with 10/100 Magnetics & POE, with LEDs | 8 | 8 | | |  | |  | |  |  |  |  |
|  G8X RJ45 with 10/100 Magnetics & POE | 8 | 8 | | |  | |  | |  | |  | |
|  G8LX RJ45 with 10/100 Magnetics & POE | 8 | 8 | | |  | |  | |  |  |  | |
|  G10X Dual Stack RJ45 with Gigabit Magnetics | 8 | 8 | |  |  | |  | |  | |  | |
|  G14X RJ45 Dual Port with 10/100 Magnetics | 8 | 8 | |  |  | |  | |  |  |  | |
|  G15LX RJ45 with 10/100 Magnetics & POE | 8 | 8 | | |  | |  | |  |  |  | |

[Back to the top](#)

Modular Jacks Magnetics


[illegible]

3.5mm Audio Jacks

[illegible]





























































3.5mm Audio Jacks

 Option Available

 Contact Kycon for Option

Audio Jacks Product Page: [Click here](#)

Table of Contents

| | Mono | Stereo | 4 Pole | 5 Pole | Plug | Right Angle | Vertical | Panel Mount | Mid-Mount | Through Hole | Surface Mount | Plastic Barrel | Threaded | PC99 | High Temp |
|--|------|---|---|--------|------|---|---|--|---|---|--|---|---|--|---|
|  STX-3500 Surface Mount | |  | | | |  | | | | |  |  | |  |  |
|  STX-3501 PCB Mount | |  | | | |  | | | |  | |  | | |  |
|  STPX-3501 Panel Mount | |  | | | | | |  | | | | |  | | |
|  STX-35017 PCB Mount | | |  | | |  | | | |  | |  | | | |
|  STX-35332 Surface Mount | |  | | | |  | | | | |  |  | |  |  |
|  STX-35061 Surface Mount | | |  | | |  | | | |  | |  | | |  |
|  STX-353E7A PCB Mount | | |  | | |  | | | |  | | | | |  |
|  STX-373K7A Vertical Mount | | |  | | | |  | | |  | |  | | |  |
|  STX-35398A Mid-Mount | |  | | | |  | | |  |  | |  | | |  |
|  STX-35398E Mid-Mount, No Barrel | |  | | | |  | | |  |  | |  | | |  |

Kycon audio jacks are used in a wide array of applications within consumer electronics, computer, and medical devices. Along with our wide range of mounting styles, we offer many different switching options. In addition, many of our stereo jacks are available with PC99 color options, threaded barrels and tape and reel packaging.


































3.5mm Audio Jacks

 Option Available

 Contact Kycon for Option

Audio Jacks Product Page: [Click here](#)

[Table of Contents](#)

| | Mono | Stereo | 4 Pole | 5 Pole | Plug | Right Angle | Vertical | Panel Mount | Cable Mount | Mid-Mount | Through Hole | Surface Mount | Plastic Barrel | Threaded | PC99 | High Temp |
|---|------|---|--------|---|---|--|---|-------------|--|-----------|---|--|--|----------|---|--|
|  STX-3680 Vertical Mount | |  | | | | |  | | | |  | |  | |  | |
|  STX-3790 Vertical Mount | |  | | | | |  | | | |  | |  | |  | |
|  STX-4235 Stacked, PCB Mount | |  | | | |  | | | | |  | |  | | | |
|  STX-4335 Triple Stacked PCB Mount | |  | | | |  | | | | |  | |  | |  | |
|  STX-3542 Surface Mount 5 Pole | | | |  | |  | | | | | |  |  | | |  |
|  STX-P-5 Pole Plug, Cable Mount | | | |  |  | | | |  | | | | | | | |

[Back to Top](#)

















2.5mm Audio Jacks

 Option Available












 Contact Kycon for Option

Audio Jacks Product Page: [Click here](#)

[Table of Contents](#)

| | Stereo | 4 Pole | Through Hole | Mid-Mount | Surface Mount | High Temp | | Stereo | 4 Pole | Through Hole | Mid-Mount | Surface Mount | High Temp |
|--|---|---|---|-----------|---|---|---|---|---|--------------|---|---|---|
|  STX-2000 PCB Mount |  | |  | | | |  STX-25427 Surface Mount, 4 Pole | |  | | |  |  |
|  STX-2500 Surface Mount |  | | | |  |  |  STX-25442 Mid-Mount, 4 Pole | |  | |  | |  |
|  STX-25406 Surface Mount, 4 Pole | |  | | |  |  |  STX-2550 Surface Mount |  | | | |  |  |


DC Power

|  Option Available  Contact Kycon for Option DC Power Product Page: Click here Table of Contents | Through Hole | Surface Mount | Right Angle | Vertical Mount | Mid-Mount | 1.0mm & 1.3mm Pin DIA | 2.0mm & 2.5mm Inner Pin DIA | Locking | High Current | Shielded | Crimped | High Temp |
|--|--------------|---------------|-------------|----------------|-----------|-----------------------|-----------------------------|---------|--------------|----------|---------|-----------|
|  KLDX 2.0mm/2.5mm, Right Angle Through Hole | | | | | | | | | | | | |
|  KLDX-LT 2.0mm/2.5mm, Right Angle Locking Type | | | | | | | | | | | | |
|  KLDX-LT 1.0mm/1.3mm, Right Angle Surface Mount | | | | | | | | | | | | |
|  KLDX-SMT2 2.0mm/2.5mm, Surface Mount | | | | | | | | | | | | |
|  KLDHCX 2.0mm/2.5mm, Right Angle 4A | | | | | | | | | | | | |
|  KLDHCX-8 2.0mm/2.5mm, Right Angle 8A | | | | | | | | | | | | |
|  KLDHCX-LT 2.0mm/2.5mm, Right Angle Locking Type, 5A | | | | | | | | | | | | |
|  KLDHCX-MM 2.0mm/2.5mm, Mid-Mount 5A | | | | | | | | | | | | |
|  KLDVX-SMT 2.0mm/2.5mm, Vertical Surface Mount | | | | | | | | | | | | |

Kycon DC power jacks are used in a variety of applications that require direct current to be supplied to a device. Kycon offers right angle and vertical orientations in a variety of interface sizes as well as mounting options such as through hole, surface mount, panel mount and mid mount. Also available are locking type and high current options.


DC Power

 Option Available

 Contact Kycon for Option

DC Power Product Page: [Click here](#)

[Table of Contents](#)

| | Contacts | Through Hole | Right Angle | Vertical Mount | Panel Mount | Cable Mount | Plug | 2.0mm & 2.5mm Inner Pin DIA | Locking | Snap & Lock | High Current | Shielded | High Temp |
|--|----------|---|---|---|---|---|--|---|---|---|---|---|---|
|  KLDVHCX 2.0mm/2.5mm, Vertical 5A | |  | |  | | | |  | | |  | | |
|  KLDVHCX-LT 2.0mm/2.5mm, Locking Type 5A | |  | |  | | | |  |  | |  | | |
|  KLDVX 2.0mm/2.5mm, Vertical Through Hole | |  | |  | | | |  | | | | |  |
|  KLDLX-0202-A Right Angle, Panel Mount | |  |  | | | | |  |  | | | | |
|  KLDPX-0207 2.0mm & 2.5mm, Panel Mount | | | | |  | | |  | | | | | |
|  KLDLX-P-0202-A-M8 Locking, Plug | | | | | |  |  |  |  | | | | |
|  KLDX-PA 2.0mm & 2.5mm, Power Plug | | | | | |  |  |  | | | | | |
|  KLDX-PA-LT 2.0mm & 2.5mm, Power Plug Locking Type | | | | | |  |  |  |  | | | | |
|  KPJX Snap & Lock, Through Hole | 3, 4 |  |  | | | | | | |  |  |  |  |
|  KPJX-CM Snap & Lock, Cable Mount Jack | 3, 4 | | | | |  | | | |  |  | | |
|  KPJX-PM Snap & Lock, Panel Mount | 3, 4 | | |  |  | | | | |  |  |  | |
|  KPPX Snap & Lock Cable Mount Plug | 3, 4 | | | | |  |  | | |  |  | | |











































Circular Din/Mini Din

 Option Available


 Contact Kycon for Option

Circular/Mini Din Product Page: [Click here](#)

[Table of Contents](#)

| | Contacts | Plug | Socket | Shielded | Non-Shielded | Right Angle | Vertical | Panel Mount | Cable Mount | Through Hole | Surface Mount | Stacked | Snap & Lock | PC99 | High Temp |
|--|-----------|---|---|--|---|--|---|--|---|---|--|---|---|---|---|
|  KMDGX Stacked, Right Angle | 3-8 10 | |  |  |  |  | | | |  | |  | |  |  |
|  KMDGX Right Angle | 3-8 10 | |  |  |  |  | | | |  | | | |  |  |
|  KMDLAX Cable Mount, Plug Snap & Lock | 3-8 |  | | | | | | |  | | | |  |  | |
|  KMDPLX Panel Mount, Snap & Lock | 4, 6 | |  | |  | | |  | | | | |  | | |
|  KMDTX Slim Design, Surface Mount Through Hole | 4, 6 | |  |  | |  | | | |  |  | | | |  |
|  KMDVLX Vertical Mount Snap & Lock | 3-8 | |  | |  | |  | | |  | | |  |  |  |


Kycon can engineer and manufacture a wide variety of custom cable assemblies and adapters. Kycon specializes in custom over-molded cable assemblies, phone cables, small wire harnesses, and custom adapters.



IP67 Product Page: [Click here](#)

Table of Contents









IP67

| | | | |
|---|--|--|--|
|  <p>KUSB67X USB Quick release A-Type Socket to Socket</p> |  <p>KUSB67X USB Quick release A-Type Socket to PCB</p> |  <p>IP67X-PP-CAP USB Quick release CAP</p> |  <p>KUSB67X-SMTTH USB Type C</p> |
|  <p>STX-3537D Fully Sealed 3.5mm Audio Jacks</p> |  <p>GM67X-s-88 RJ45 Box Side Jack with Jack</p> |  <p>GM67X-CS RJ45 Cable Side</p> |  <p>GM67X-CBL RJ45 Box Side Jack with Cable & Plug</p> |
|  <p>GM67-CAP RJ45 CAP</p> | | | |

HDMI

HDMI Product Page: [Click here](#)

Table of Contents

| | | | |
|--|--|---|--|
|  <p>KDMIX with Flange & Top Springs Tabs</p> |  <p>KDMIX without Flange with Top Spring Surface Mount</p> |  <p>KDMIX 2.1 with Flange</p> |  <p>KDMIX 2.1 without Flange</p> |
|  <p>KDMIX Vertical</p> |  <p>KDMI42X Dual Stacked</p> |  <p>KMDMIX Mini</p> |  <p>KDMIX-SL1 Upright</p> |

Kycon's commitment to customer service has continually awarded them one of the top two positions in the Bishop and Associates Customer Survey of the Electronic Connector Industry since 2005. In the most recent survey, Kycon held the #1 position for Inside Sales Support, Problem Handling, Turnaround Time, and Product Quality.

For more information or to experience why Kycon has earned such prestigious acclaim,

please contact us today! Phone: International: +1.408.494.0330

Product Information, Prices & Availability: sales@kycon.com | Product Technical Support: support@kycon.com